IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : Catherine Dulac and Richard Axel

Serial No. : Not Yet Known

Filed : Herewith

For : CLONING OF VERTEBRATE PHEROMONE RECEPTORS

AND USES THEREOF

1185 Avenue of the Americas New York, New York 10036

July 3, 2001

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

PRELIMINARY AMENDMENT AND INFORMATION DISCLOSURE STATEMENT

Please amend the subject application as follows:

In the specification:

On page 1, please delete the paragraph on lines 6-9 and replace it with the following new paragraph:

--This application claims the benefit of U.S. Serial No. 08/731,745, filed October 18, 1996, which claims the benefit of U.S. Provisional Application No. 60/005,698, filed October 19, 1995, the contents of both of which are incorporated by reference into the subject application.--

On page 19, line 15, please add the following three paragraphs:

--This invention provides an isolated nucleic acid comprising consecutive nucleotides encoding a vertebrate pheromone receptor protein, wherein the receptor protein comprises seven transmembrane domains and is further characterized by at least one of the following characteristics:

- (a) the loop between the second and third transmembrane domains of the protein, the third transmembrane domain, and the loop between the third and fourth transmembrane domains together comprise consecutive amino acids having the following sequence: -R, G, L or F, S or T or N, L, C or S, A or T, T or A or S, C, L or M, L, S or N or H, V or I, L or F, Q or W, A or T or M, I or F, I or T, L, S, P or S, R or K, S or K, S, C, L, A or T, K or T, F or Y, K, H or Y, K or N- (SEO ID NO: 19);
- (b) the loop between the fifth and sixth transmembrane domains of the protein, and the sixth transmembrane domain together comprise consecutive amino acids having the following sequence: -K, A or S or V, S, P, E or Q, Q, R, A, T, R or Q or E, T or S, I, L or M, M or L or I, L, M or R, S or T, F or L, F, V or G, V or L- (SEQ ID NO: 20); and
- (c) the seventh transmembrane domain of the protein comprises consecutive amino acids having the following sequence: -Y, A, T, V or I or L, S, P or S, F or L, V or L, F or L- (SEQ ID NO: 21).--
- --In one embodiment, the receptor protein is characterized by at least two of the characteristics of (a) through (c). In one embodiment, the receptor protein is characterized by all of the characteristics of (a) through (c).--
- --This invention provides an isolated nucleic acid comprising consecutive nucleotides encoding a vertebrate pheromone receptor protein, wherein the nucleic acid encodes a protein selected from the group consisting of:
- i) VN1 protein comprising consecutive amino acids having a sequence identical to the sequence set forth in SEQ ID NO:
 8,

- ii) VN2 protein comprising consecutive amino acids having a sequence identical to the sequence set forth in SEQ ID NO: 9,
- iii) VN3 protein comprising consecutive amino acids having a sequence identical to the sequence set forth in SEQ ID NO: 10,
- iv) VN4 protein comprising consecutive amino acids having a sequence identical to the sequence set forth in SEQ ID NO: 11,
- v) VN5 protein comprising consecutive amino acids having a sequence identical to the sequence set forth in SEQ ID NO: 12,
- vi) VN6 protein comprising consecutive amino acids having a sequence identical to the sequence set forth in SEQ ID NO: 13,
- vii) VN7 protein comprising consecutive amino acids having a sequence identical to the sequence set forth in SEQ ID NO: 14, and
- viii) a protein that shares between 47% and 87% amino acid sequence identity with any one of the proteins of i)-vii).--

On page 29, line 28, please add the following the following paragraph:

--A method of preparing a composition which comprises identifying a compound using any of the methods described herein, recovering the compound free of any pheromone receptor, and admixing the compound with a pharmaceutically acceptable carrier.--

On pages 63-89, please delete the SEQUENCE LISTING and replace it with the SEQUENCE LISTING attached hereto as **EXHIBIT 1**.

In the claims:

Please cancel claims 1-28 and 33-93 without prejudice to applicants' right to pursue the subject matter of these claims in a future continuation or divisional application.

Please add new claims 96-99 as follows:

- --96. (New) An isolated nucleic acid comprising consecutive nucleotides encoding a vertebrate pheromone receptor protein, wherein the receptor protein comprises seven transmembrane domains and is further characterized by at least one of the following characteristics:
 - (a) the loop between the second and third transmembrane domains of the protein, the third transmembrane domain, and the loop between the third and fourth transmembrane domains together comprise consecutive amino acids having the following sequence: -R, G, L or F, S or T or N, L, C or S, A or T, T or A or S, C, L or M, L, S or N or H, V or I, L or F, Q or W, A or T or M, I or F, I or T, L, S, P or S, R or K, S or K, S, C, L, A or T, K or T, F or Y, K, H or Y, K or N-(SEQ ID NO: 19);
 - (b) the loop between the fifth and sixth transmembrane domains of the protein, and the sixth transmembrane domain together comprise consecutive amino acids having the following sequence: -K, A or S or V, S, P, E or Q, Q, R, A, T, R or Q or E, T or S, I, L or M, M or L or I, L, M or R, S or T, F or L, F, V or G, V or L-(SEQ ID NO: 20); and

- (c) the seventh transmembrane domain of the protein comprises consecutive amino acids having the following sequence: -Y, A, T, V or I or L, S, P or S, F or L, V or L, F or L- (SEQ ID NO: 21).--
- --97. (New) The isolated nucleic acid of claim 96, wherein the receptor protein is characterized by at least two of the characteristics of (a) through (c).--
- --98. (New) The isolated nucleic acid of claim 97, wherein the receptor protein is characterized by all of the characteristics of (a) through (c).--
- --99. (New) The isolated nucleic acid of claim 96, wherein the nucleic acid encodes a protein selected from the group consisting of:
 - i) VN1 protein comprising consecutive amino acids having a sequence identical to the sequence set forth in SEQ ID NO: 8,
 - ii) VN2 protein comprising consecutive amino acids having a sequence identical to the sequence set forth in SEQ ID NO: 9,
 - iii) VN3 protein comprising consecutive amino acids having a sequence identical to the sequence set forth in SEQ ID NO: 10,
 - iv) VN4 protein comprising consecutive amino acids having a sequence identical to the sequence set forth in SEQ ID NO: 11,

- v) VN5 protein comprising consecutive amino acids having a sequence identical to the sequence set forth in SEQ ID NO: 12,
- vi) VN6 protein comprising consecutive amino acids having a sequence identical to the sequence set forth in SEQ ID NO: 13,
- vii) VN7 protein comprising consecutive amino acids having a sequence identical to the sequence set forth in SEQ ID NO: 14, and

viii) a protein that shares between 47% and 87% amino acid sequence identity with any one of the proteins of i)-vii).--

REMARKS

Claims 1-95 were pending in the subject application. By this Amendment applicants have canceled claims 1-28 and 33-93 without prejudice or disclaimer, and added new claims 96-99. Accordingly, upon entry of this Amendment, claims 29-32 and 94-99 will be pending and under examination.

Applicants maintain that the amendments to the application do not raise any issue of new matter. Applicants have amended page 1 of the specification to update the continuing data for the subject application. Support for the additions to page 19 of the specification and for new claims 96-99 may be found inter alia in the specification, as originally-filed, on page 15, lines 20-28; page 19, lines 2-3; page 37, lines 30-31; and in Figure 4A. Support for the addition to page 29 may be found inter alia in the specification, as originally-filed, on page 22, lines 17-22, and page 29, lines 24-27. Applicants have replaced the original Sequence Listing with a new Sequence Listing which includes the sequences recited in new claim 96. Accordingly, applicants respectfully request that this Amendment be entered.

Applicants submit herewith as **Exhibit 3** a Sequence Listing in a computer readable form which complies with the requirement of 37 C.F.R. §1.824. In addition, applicants submit a Statement in Accordance with 37 C.F.R. §1.821(f), attached hereto as **Exhibit 2**, certifying that the computer readable form containing the nucleic acid and/or amino acid sequences as required by 37 C.F.R. §1.821(e) contains the same information as the paper copy of the Sequence Listing attached hereto as **Exhibit 1**.

Page 8

Information Disclosure Statement

In accordance with their duty of disclosure under 37 C.F.R. §1.56, applicants would like to direct the Examiner's attention to the following references which are listed on the attached Form PTO-1449 (Exhibit A) and which were previously cited in connection with the prosecution of U.S. Serial Number 08/731,745 from which the subject application claims priority under 35 U.S.C. §120. According to 37 C.F.R. §1.98(d), copies of patents or publications that were previously cited by, or submitted to, the Office in connection with such prior applications need not accompany the Information Disclosure Statement. Accordingly, copies of the following references are not attached to this Information Disclosure Statement:

- 1. U.S. Patent No. 5,278,141, issued January 11, 1994, Berliner;
- 2. U.S. Patent No. 5,508,164, issued April 16, 1996, Kausch et al;
- 3. U.S. Patent No. 5,576,210, issued November 19, 1996, Sledziewski et al.;
- 4. Bakalyar, H.A. and Reed R.R., (1990) "Identification of a specialized adenylyl cyclase that may mediate odorant detection", <u>Science</u> 250:1403-1406;
- 5. Baldwin, J.M., (1993) "The probable arrangement of the helices in G protein-coupled receptors", <u>The EMBO Journal</u> 12:1693-1703;

- 6. Bean , N.J., (1982) "Modulation of agonistic behavior by the dual olfactory system in male mice", Physiol. Behav.29:433-437;
- 7. Ben Arie, N., et al., (1994) "Olfactory receptor gene cluster on human chromosome 17: Possible duplication of an ancestral receptor repertoire", <u>Hum. Mol. Gen.</u> 3:229-235;
- 8. Bertmar, G., (1981) "Evolution of vomeronasal organs in vertebrates", Evolution 35:359-366;
- 9. Brady, G., et al., (1990) "Representative <u>in vitro</u> cDNA amplification from individual hemopoietic cells and colonies", <u>Methods in Mo. Cell. Biol.</u> 2:17-25;
- 10. Broadwell, R.D., (1975) "Olfactory relationships of the Telencephalon and Diencephalon in the rabbit. I. An autoradiographic study of the efferent connections of the main and accessory olfactory bulbs", <u>J. Comp. Neurol.</u> 163:329-346;
- 11. Buck, L. and Axel, R., (1991) "A novel multigene family may encode odorant receptors: A molecular basis for odor recognition", Cell 65:175-187;
- 12. Chess, A., (1994) "Allelic inactivation regulates olfactory receptor gene expression", Cell 78:823-834;
- 13. Clancy, A.N., Coquelin, A., Macredeo, F., Gorsik, R.A., and Nobel, E.P., (1984) "Sexual Behavior and Aggression in Male Mice involvement of the Vomeronasal System", <u>J. Neurosci.</u> 4:2222-2229;

Page 10

- 14. Dhallan, R.S., et al., (1990) "Primary structure and functional expression of a cyclic nucleotide-activated channel from olfactory neurons", Nature 347:184-187;
- 15. Dulac, C. and Axel, R., (1995) "A novel family of genes encoding putative pheromone receptors in mammals", <u>Cell</u> 83:195-206;
- 16. Eisthen, H.L., (1992) "Phylogeny of the vomeronasal system and of receptor cell types in the olfactory and vomeronasal epithelia of vertebrates", <u>Micro. Res. Tech.</u> 23:1-21;
- 17. Farbman, A.I., (1992) "Cell biology of olfaction",

 Developmental and Cell Biology Series (Cambridge University

 Press, Canada) pp. 1-23, 118-129, 207-214;
- 18. Garcia-Velasco, J. And Mondragon, M., (1991) "The incidence of the vomeronasal organ in 1000 human subjects and its possible clinical significance", <u>J. Steroid Biochem. Molec. Biol.</u> 39:561-563;
- 19. Halpern, M., (1987) "The Organization and Function of the Vomeronasal System", <u>Ann. Rev. Neurosci.</u> 10:325-362;
- 20. Halpern, M., et al., (1995) "Differential localization of G proteins in the opossum vomeronasal system", <u>Brain Research</u> 677: 157-161;
- 21. Henzel, W.J., et al., (1988) "The primary structure of aphrodisin", <u>J. Biol. Chem.</u> 263:16682-16687;
- 22. Imamura, K., et al., (1992) "Coding of odor molecules by mitral/tufted cells in rabbit olfactory bulb. I. Aliphatic compounds", <u>J. Neurophysiol.</u> 68:1986-2002;

Catherine Dulac and Richard Axel U.S. Serial No. Not Yet Known

Filed: Herewith

Page 11

- 23. Johns, M.A., Feder, H.H. Komisaruk, B.R., and Mayer, A.D, (1978) "Urine induced reflex ovulation in anovulatory rats may be a vomeronasal effect", Nature 272: 446-448;
- 24. Jones, D.T. and Reed, R.R., (1989) "Go_{lf}: An Olfactory neuron specific G-protein involved in odorant signal transduction", Science 244:790-795;
- 25. Katoh, K., (1993) "Coding of odor molecules by mitral/tufted cells in rabbit olfactory bulb. II. Aromatic compounds", J.Neurophysiol. 70:2161-2175;
- 26. Kauer, J.S., et al., (1987) "Odor-elicited activity monitored simultaneously from 124 regions of the salamander olfactory bulb using a voltage-sensitive dye", <u>Brain Res.</u> 418:255-261;
- 27. Keverne, E.B., (1983) "Pheromonal influences on the endocrine regulation of reproduction", <u>Trends Neurosc.</u> 6:381-384;
- 28. Kevetter, G.A. and Winans, S.S., (1981) "Connections of the corticomedial amygdala in the golden hamster. I. Efferents of the `Vomeronasal Amygdala", <u>J. Comp. Neurol.</u> 197:81-98;
- 29. Krettek, J.E. and Price, J.L., (1977) "Projections from the amygdaloid complex to the cerebral cortex and thalamus in the rat and cat", <u>J. Comp. Neurol.</u> 172:687-722;
- 30. Krettek, J.E. and Price, J.L., (1978) "Amygdaloid projections to subcortical structures within the basal forebrain and brainstem in the rat and cat", <u>J. Comp.</u>
 Neurol. 178:225-253;

- 31. Lancet, D., et al., (1982) "Mapping of odor-related neuronal activity in the olfactory bulb by high resolution 2-deoxyglucose autoradiography", Proc. Natl. Acad. Sci.79:670-674;
- 32. Lomas, D.E. and Keverne, E.B., (1982) "Role of the vomeronasal organ and prolactin on the acceleration of puberty in female mice", <u>J. Reprod. Fertil</u>. 66: 101-107;
- 33. Ludwig, J., et al., (1990) "Primary structure of a cAMP-gated channel from bovine olfactory epithelium", <u>FEBS Lett.</u> 270:24-29;
- 34. Macrides, F., et al., (1985) "Evidence for morphologically, neurochemically and functionally heterogeneous classes of mitral and tufted cells in the olfactory bulb", Chemical Senses 10:175-202;
- 35. Melrose, D.R., et al., (1971) "Androgen steroids associated with boar odour as an aid to the detection of oestrus in pig artificial insemination", <u>Brit. Vet. J.</u> 127:497-502;
- 36. Meredith, M., (1986) "Vomeronasal organ removal before sexual experience impairs male hamster mating behavior", Physiol. Behav. 36: 737-743;
- 37. Meredith, M. and Fernandez-Fewell, G., (1994) "Vomeronasal system, LHRH, and sex behavior", <u>Psychoneuroendocrinology</u>. 19: 657-672;
- 38. Michael, R.P. and Keverne, E.B., (1968) "Pheromones in the communication of sexual status in primates", <u>Nature</u> 218:746-749;

Catherine Dulac and Richard Axel U.S. Serial No. Not Yet Known

Filed: Herewith

Page 13

- 39. Monti-Bloch L., et al., (1994) "The human vomeronasal system", <u>Psychoneurondocrinology</u> 19:673-686;
- 40. Moran, D.T., et al., (1991) "The vomeronasal (Jacobson's) organ in man: ultrastructure and frequency of occurrence", J. Steroid Biochem. Molec. Biol. 39:545-552;
- 41. Mori, K., et al., (1992) "Differential specifities of single mitral cells in rabbit olfactory bulb for a homologous series of fatty acid odor molecules", <u>J. Neurophysiol.</u> 67:786-789;
- 42. Ngai, J., et al., (1993) "Coding of olfactory information: topography of odorant receptor expression in the catfish olfactory epithelium", Cell 72:667-680;
- 43. Parmentier, M., et al., (1992) "Expression of members of the putative olfactory receptor gene family in mammalian germ cells", Nature 355:453-455;
- 44. Potiquet, M., (1891) "Le canal de Jacobson", Rev. Laryng. (Paris) 2:737-753;
- 45. Probst, W.C., et al., (1992) "Sequence alignment of the G-Protein coupled receptor superfamily", <u>DNA and Cell Biology</u>
 Vol. II(1) (Mary Liebert, Inc. Pubs., NY) pp. 1-20;
- 46. Ressler, K.J., et al., (1993) "A zonal organization of odorant receptor gene expression in the olfactory epithelium", Cell 73: 597-609;
- 47. Ressler, K.J., et al., (1994) "Information coding in the olfactory system: Evidence for a stereotyped and highly

Catherine Dulac and Richard Axel U.S. Serial No. Not Yet Known

Filed: Herewith

Page 14

organized epitope map in the olfactory bulb", <u>Cell</u> 79:1245-1255;

- 48. Reynolds, J. and Keverne, E.B., (1979) "The accessory olfactory system and its role in the phermonally mediated suppression of oestrus in grouped mice", <u>J. Reprod. Fert.</u> 57:31-35;
- 49. Rogers, R.E., et al., (1987) "Molecular cloning and sequencing of a cDNA for olfactory marker protein", Proc.Natl.Acad.Sci. 84:1704-1708;
- 50. Ryba, N.J.P. and Tirindelli, R. (1997) A new multigene family of putative pheromone receptors. Neuron 19: 371-379.
- 51. Sambrook, J., Fritsch, E.F. and Maniatis, T., (1989)
 Molecular Cloning; A laboratory Manual Second Edition Cold
 Spring Harbor, New York, (Cold Spring Harbor Laboratory
 Press);
- 52. Scangos, G. and Bieberich, C., (1987) "Gene transfer into mice", Advances in Genetics 24:285-321;
- 53. Shepard, G., (1994) "Discrimination of molecular signals by the olfactory receptor neuron", Neuron 13:771-790;
- 54. Stensaas, L.J., et al., (1991) "Ultrastructure of the human vomeronasal organ", <u>J. Steroid Biochem. Molec. Biol.</u> 39:553-560;
- 55. Stewart, W.B., et al., (1979) "Functional organization of rat olfactory bulb analyzed by the 2-deoxyglucose method", J. Comp. Neurol. 185:715-734;

- 56. Strader, C.D., et al., (1994) "Structure and function of G protein-coupled receptors", Annu. Rev. Biochem. 63:101-132;
- 57. Takami, S. and Graziadie, P.P., (1991) "Light microscopic Golgi study of mitral/tufted cells in the accessory olfactory bulb of the adult rat", <u>J. Comp. Neurol.</u> 311:65-83;
- 58. Troemel, E., et al., (1995) "Divergent seven transmembrane receptors are candidate chemosensory receptors in <u>C. Elegans</u>", <u>Cell</u> 83:207-218;
- Vassar, R., et al., (1993) "Spatial segregation of odorant receptor expression in the mammalian olfactory epithelium", Cell 74:309-318;
- 60. Vassar, R., et al., (1994) "Topographic organization of sensory projections to the olfactory bulb", Cell 79:981-991;
- 61. Watson et al. (1994) The G-Protein Linked Receptor Facts Book. Academic Press, Inc., San Diego, CA, pp. 223-230;
- 62. Wang et al. (1989) COUP transcription factor is a member of the steroid receptor superfamily. Nature 340: 163-166; and
- 63. Wysocki, C.J. and Lepri, J.J., (1991) "Consequences of Removing the Vomeronasal Organ", <u>J. Steroid Biochem. Molec.</u>
 <u>Biol.</u> 39:661-669.

If a telephone interview would be of assistance in advancing prosecution of the subject application, applicants' undersigned attorney invites the Examiner to telephone him at the number provided below.

Page 16

Applicants are submitting this Information Disclosure Statement under 37 C.F.R. §1.97(b)(1) with the filing of a national application. Accordingly, no fee other than the enclosed \$355.00 fee for filing the subject application is deemed necessary in connection with the filing of this Preliminary Amendment and Information Disclosure Statement. However, if an additional fee is required, authorization is hereby given to charge the amount of any such fee to Deposit Account No. 03-3125.

Respectfully Submitted,

John P. White

Registration No. 28,678 Attorney for Applicants Cooper & Dunham LLP

1185 Avenue of the Americas New York, New York 10036 (212) 278-0400